

Kwik Sew 3554 Size:xs-xl Part:2 Paper:a4

Generated by printsew.com

Patent No: 7,716,143

Any reproduction and/or redistribution is strictly prohibited.

PRINT THIS PAGE FIRST! To make sure your printer setup correctly. The below square should measure 1 inch x 1 inch (2.54 cm x 2.54 cm) after printing. Allow square to have 1/16 inch (2 mm) deviation for printer calibration differences.

select



Make sure your printer is set to the same paper size that you

To save ink, set your printer to Draft or Fast Draft.



Row A, Column 1

Kwik Sew 3554 Size:xs-xl Part:2 www.printsew.com



Row B, Column 1

Kwik Sew 3554 Size:xs-xl Part:2 www.printsew.com


RIGHT SIDE - PLACE ON FOLD



PATTERN 3554

**3. VIEW A & B
BACK
CUT 1 ON FOLD**

1/4" (6 mm) SEAM
ALLOWANCES INCLUDED



GRAIN OF FABRIC



SHORTEN OR LENGTHEN LINE

XS RUFFLE SEAM VIEW B

Row C, Column 1


Kwik Sew 3554 Size:xs-xl Part:2 www.printsew.com

M

XL

Row D, Column 1

Kwik Sew 3554 Size:xs-xl Part:2 www.printsew.com



Row A, Column 2

Kwik Sew 3554 Size:xs-xl Part:2 www.printsew.com

4.

← GRAIN OF FABRIC →


1/4" (ALLOWANCE)



©Kwik Sew, Inc.
Kwik Sew, Inc. is not responsible for
any pattern errors or alterations
made without the copyright owner's
written permission.

Row B, Column 2

Kwik Sew 3554 Size:xs-xl Part:2 www.printsew.com



ON FOLD

SIDE SEAM

XS VIEW B

WARNING KWIK SEW: Pattern
All rights reserved. Protect
copyright law. Commercial or
unless there is written agree-
Pattern Co., Inc. This pattern
be reprinted in any form or
written permission from
KWIK SEW: Pattern Co., Inc.
incomplete or other errors and
for any damages whatsoever to
the user of this product.

Row C, Column 2W B

Kwik Sew 3554 Size:xs-xl Part:2 www.printsew.com

M VIEW B

L VIEW B

XL VIEW B


RUFFLE SEAM



Kwik Sew

Row D, Column 2

Kwik Sew 3554 Size:xs-xl Part:2 www.printsew.com



Row A, Column 3

Kwik Sew 3554 Size:xs-xl Part:2 www.printsew.com

PATTERN 3554


VIEW A & B

STRAP

CUT 2



6 mm) SEAM
ALLOWANCES INCLUDED



7 PATTERN 3554
VIEW B
PANTIES FRONT
CUT 1 ON FOLD


1/4" (6 mm)
ALLOWANCES

STRETCH

LEG

AMERICA

CENTER FRONT - PLACE ON



OPENING

ND

BRIC

GE



PATTERN 3554

VIEW B
FRONT RUFFLE
CUT 1 ON FOLD


5.

1/4" (6 mm) SEAM ALLOWANCES INC. JDE

STRETCH OF FABRIC

BOTTOM EDGE

GRAIN OF FABRIC



SIDE SEAM

XS

Row D, Column 3


Kwik Sew 3554 Size:xs-xl Part:2 www.printsew.com

S

M


L

XL




Row A, Column 4

Kwik Sew 3554 Size:xs-xl Part:2 www.printsew.com



Row B, Column 4

Kwik Sew 3554 Size:xs-xl Part:2 www.printsew.com



Row C, Column 4

Kwik Sew 3554 Size:xs-xl Part:2 www.printsew.com

