

132 Onesie for Babies

Height 68, 74, 80, 86, 92 cm

Materials

Recommended fabrics: Jersey, sweatshirt fabric, nicky velours (use stretch fabrics only).

Hoop-striped stretch jersey (I)

Plain jersey (II)

Interfacing: Vilene/Pellon G 785

12 hammer-on snap fasteners for jersey (ring top snaps)

Size	68	74	80	86	92
Fab. width <div>cm ins</div>	Fabric requirements (meters/yds)				
I	140	0.85			
	55½	⅞			
II	150	0.20			
	59	¼			



Preparations

Print the pattern out on letter or A4 sized paper. It is **very** important to not scale the document. Your pattern will print on multiple pages, which you will then tile together. Arrange the sheets on a large, hard and flat surface matching up the numbers and letters (i.e. 6A to 6A). Cut or fold one of the sides and match the edge to it's corresponding side. Then, tape down in place so paper is secure.

Trace the pattern pieces from the pattern sheet following the lines and markings for style 132 and your size. Pin pattern pieces to the fabric as shown on the pattern layout. Mark pieces a to c directly on the fabric.

burda style magazine patterns do not have seam allowance included.

Seam and hem allowance to be added: Seams and edges 1.5 cm (5/8 in). Measurements for pieces a to c include allowances.



Cutting Out

Jersey I

- 21 right front 1x
- 23 left front 1x
- 25 back, on a fold 1x
- 26 sleeve 2x
- 27 sole 2x
- 28 front foot piece 2x

Jersey II

- 22 right front facing 1x
- 24 left front facing 1x

Interfacing: See shaded area on pattern layout.

Also draft the following pieces NOT included in the pattern:

Jersey II

- a back fastening underlap 1x
- b binding strip/neck edge 1x
- c binding strip/sleeve 2x

Measurements for a-c:

Size	68	74	80	86	92	Width for all sizes (cm / ins)
	Length (cm / ins)					
a	29.5 11 5/8	32.5 12 3/4	35 13 3/4	38 15	41.5 16 1/2	5.5 2 1/8
b	33.5 13 1/4	34 13 3/8	35 13 3/4	36 14 1/4	36.5 14 3/8	4 1 1/2
c	20.5 8	21 8 1/4		21.5 8 1/2		4 1 1/2

Sewing

Note: On stretch fabrics, stitch seams with a special stretch stitch or at a narrow zigzag setting.

Pin right front facing to right front, right sides together. Stitch to front edge, from neck edge to corner (seam number 4). Trim seam allowances, trimming corners diagonally, and clip into corners. Turn facing to inside and press edge. Topstitch 2.5 cm (1 inch) from seamed edge.

Pin left front facing to left front, right sides together. Stitch to front edge, from neck edge to lower edge of leg. Trim seam allowances. Turn facing to inside and press edge. Topstitch 2.5 cm (1 inch) from seamed edge.

Lay fronts on back, right sides facing. Stitch shoulder seams, ending stitching exactly at neck edge.


On lower sleeve edges, trim away seam allowances. With right sides facing, stitch binding strip to lower edge of each sleeve, stitching 1 cm (3/8 in) from edge. Press binding strips and seam allowances down.

Stitch sleeves to armhole edges (seam number 2). Stitch side seams and sleeve seams as continuous seams, ending stitching at lower edges of binding strips. Press seams open. Fold binding strips over lower sleeve edges to inside, turn raw edges under, and baste to attachment seams, for a finished binding width of 1 cm (3/8 in). Working from the outer side, topstitch binding close to seam, thereby catching the inner edge.

Lay right front on the back again, right sides facing. Stitch inner leg seam from seam number 4 to lower edge of leg. Fold fastening underlap piece (a) lengthwise, right side facing out, and press. Stitch open long edges together to open inner leg edge of back, from above seam number 4 to lower edge of left leg. Neaten edges of seam allowances together and neaten edges of allowances of right inner leg seam. Press seam allowances toward back.

Topstitch back close to underlap attachment seam. On the right, at the beginning of the inner leg seam (seam number 4), stitch front piece horizontally to underlap, from the seam to the stitching

Striped jersey (I), 140 cm wide



selvedge

24

22

150 CM

c

b

a

selvedge

selvedge

selvedge

selvedge

selvedge

selvedge

selvedge

Plain jersey (II), 150 cm wide

Fold the fabric as shown in the pattern layout. Right side faces in on a double layer of fabric; right side faces up on a single layer. Place the asymmetric front and front facing pieces on the right side of the fabric, with their printed sides facing up. Cut right and left sleeves as opposites. Pay attention to stripes.

line. Baste open end of underlap under lower edge of left front, as far as seam mark.

Stitch front foot pieces to front leg pieces (seam number 5). Trim seam allowances to 7 mm (1/4 in) wide, neaten edges, and press allowances toward leg pieces. Set in soles (seam number 6). Trim seam allowances and neaten edges.

At neck edge, trim away seam allowance. Stitch binding strip to neck edge, stitching 1 cm (3/8 in) from edge. Turn binding strip up and turn ends under at front edges. Fold binding strip over edge to inside, turn edge under, and baste to attachment seam. Topstitch binding close to edge and sew ends closed.

On the left fastening edge, mark 6 snaps along centre front. Below these, mark 4 more snaps, the same distance from the edge. Mark the upper snap 1.7 cm (11/16 in) below the neck edge and space the remaining snaps the following distance apart: size 68: 5 cm (2 ins), size 74: 5.4 cm (2 1/8 ins), size 80: 5.8 cm (2 1/4 ins), size 86: 6.2 cm (2 3/8 ins) and size 92: 6.6 cm (2 5/8 ins). Attach upper snap halves as marked. On the right front fastening edge, mark the 3rd and 4th snap from the bottom at the same levels as on the left front. Attach these upper snap halves. Pin left front edge to right front edge and to underlap, matching centre fronts. Pin right fastening edge to underlap. Mark lower snap halves, to match upper halves. Attach lower halves as marked.

Additional Information:

Burda patterns do not include seam and hem allowances. We recommend adding 1-2 cm (3/8 - 3/4 inch) for seams and 2-5 cm (3/4 - 2 inch/es) for hems. Refer to your specific pattern instructions for exact measurements.

The fabric requirements are based on the fabric used for the original designs. These amounts will change if you use fabric of a different width. The pattern of the fabric determines whether all the pieces must be cut in the same direction or whether some can be reversed to save fabric.

The cutting layout printed with the instructions shows the best way to place the pattern pieces on our original fabric. Fold the fabric double with the right side facing in. The fabric then has a fold edge and a selvedge edge. When cutting from a single fabric layer, the right side should face up.

Pattern pieces which are shown in the cutting layout with broken outlines should be pinned to the fabric with their printed side facing down.

Grey shaded areas in the cutting layout indicate which pieces are to be interfaced.

Transfer the pattern piece lines to the wrong side of your fabric with dressmaker's carbon paper. Hand-baste along lines (e.g. for pockets or centre front) to make them visible on the right side of the fabric.

Have fun sewing, and make sure to upload pictures of your finished sewing project to [BurdaStyle.com/projects](https://www.burda.com/projects) and link it to the pattern you made it from!

If you have any questions about the pattern or specific instructions please email answers@burdastyle.com and your inquiry will be forwarded to one of our sewing pattern experts.

TIP Fabrics may shrink when laundered for the first time, especially those made of cotton, linen, and rayon. To avoid shrinkage of the finished garment, these fabrics should be pre-treated (washed and dried before cutting out the fabric pieces). Use the temperature settings you plan to use for the finished garment. If you want to test the amount of shrinkage of your fabric, cut a square of the fabric and measure it exactly. Finish the edges, then wash it, and compare the size after washing with the original size.

Symbols


Armhole markings

These small lines at the edges of the sleeve and front armhole pieces must meet when the sleeve is set in.



Broken line

In the cutting layout, the broken line indicates the fold edge of a double layer of fabric.



Button



Buttonhole



Eyelet opening



Fold line

In the pattern overview box, this broken line means that the pattern edge must be placed on a fold and not cut.




Joining line

Large pattern pieces that cannot fit on the pattern insert sheet will be in two pieces. These pieces must be taped together after they have been traced onto pattern paper. A double line indicates the joining line and small triangles indicate match points.



Lengthening

If a pattern piece is too long to fit on the pattern insert sheet, you will need to lengthen it when you trace the pattern piece onto pattern paper. Lengthen the pattern from the point of the arrow by the amount indicated in centimeters at the arrow.



Pleat symbol

Fold the pleat in the direction of the arrow.



Presser foot

A presser foot image indicates seam and topstitching lines.



Scissors

Scissors indicate slash lines, such as welt pocket openings. (On downloadable patterns, scissors indicate edges to be cut without an added seam allowance.)




Seam marks

Shown on long seams, these small lines perpendicular to the cutting line indicate edges to be matched. Match the seam marks to one another.



Seam numbers

Adjacent pattern pieces that must be sewn together are indicated with the same seam numbers. Match pieces with the same numbers.



Slit/Placket mark

This small, thick line that intersects the cutting line indicates beginning or end of a slit or placket.



The following symbols will only be found on the pattern pieces in the pattern overview box. On the pattern insert sheet and on the downloadable pattern pieces, the words are written out.

Ease









Gather



Stretch





For the best fit, it's important to take precise measurements. Measure your body while wearing underwear or close-fitting garments, and have someone assist you if needed. Use a flexible measuring tape to measure around your body, ensuring the tape is taut but not tight and parallel to the floor. Stand upright with a relaxed posture, and breathe normally while you measure.

1 Bust: Measure around the fullest part of your bust. **Neck circumference:** Measure the circumference at the base of the neck and above the collarbone.

2 Waist: Measure around your natural waist, the narrowest part. **Hips:** Measure horizontally around the fullest part of your bottom and upper thighs.

Additional measurements:

3 Front waist length: Measure from the side base of the neck over the apex of the bust to the natural waistline. **Bust depth:** Measure from the side base of the neck to the apex of the bust.

4 Back waist length: Measure from the base of your neck to the natural waistline. **Back width:** Measure horizontally between your arm attachment points.

5 Shoulder: Measure from the base of your neck to the tip of your shoulder. **Upper arm:** Measure around the fullest part of your upper arm.

6 Arm length: With your arm slightly bent, measure from the tip of your shoulder over the elbow to the natural waistline.

Important: Compare your body measurements to the appropriate Burda size chart here or on BurdaStyle.com. Circle each of your body measurements on the size chart since you may want to adjust your pattern to fit a range of sizes. Your Burda size will be different from your regular store-bought clothing size.

INFANTS' AND TODDLERS' SIZE CHART (based on height) inches

BURDA SIZE	56	62	68	74	80	86	92	98	104	110	116
US size	newborn	3mo	6mo	12mo	18mo	2T	3T	4T	5	6	6x
CHEST	17½	18½	19¼	20	21	21¾	22½	23	23¾	23½	23¾
WAIST	16½	17½	18½	18½	19¼	20	20½	21	21¼	21¼	22
HIP	18½	18¾	19¾	20½	21¼	22	23	23¾	24	24¾	25¼
BACK LENGTH	6½	6¾	7	7½	8	8½	9	9½	9½	10½	10½
ARM LENGTH	6½	7½	8¼	9	10½	11¼	12¼	13½	14½	15½	16½
NECK	8½	9	9½	9½	9½	10	10½	10½	11	11	11½

WOMEN'S SIZE CHART (Regular) inches

BURDA SIZE	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60
HEIGHT	66¼	66¼	66¼	66¼	66¼	66¼	66¼	66¼	66¼	66¼	66¼	66¼	66¼	66¼	66¼
BUST	30	31½	33	34¾	36¾	37¾	39½	41	43½	45½	48	50½	52¾	55¼	57½
WAIST	23	24½	26	27¾	29¼	30¾	32½	34	36¼	38¼	41	43½	45½	48	50½
HIP	32½	34	35½	37	38¾	40¼	41¾	43½	45½	48	50½	52¾	55¼	57½	60
BACK LENGTH	15¼	16	16¼	16½	16½	16¾	17	17½	17¼	17½	18	18¼	18½	18½	18½
SLEEVE LENGTH	23¼	23¼	23¼	23¼	23¼	24	24	24	24	24¼	24½	24¾	24¾	24¾	24¾
NECK WIDTH	13	13½	13½	14½	14½	15	15½	15¾	16½	16½	17	17¼	17¾	18½	18½
SIDE LEG LENGTH	39¾	40¼	40¼	40¾	41	41	41½	41½	41½	41¾	41¾	41¾	42¼	42½	42½
FRONT WAIST LENGTH	16½	17	17¼	17¼	18½	18½	19	19¼	19¾	20¼	20½	21	21¼	21¾	22¼
BUST POINT	9½	9½	10¼	10¼	11½	11½	11½	12¼	12¼	13	13½	14¼	14½	14¾	15
UPPER ARM CIRCUMFERENCE	9½	10¼	10¾	11½	11½	11½	12¼	12¾	13½	14½	15	15¼	16½	17¼	18¼

WOMEN'S SIZE CHART (Petite) inches

* These sizes are Burda petite sizes and differ in height from the regular sizes. The height measurements are from 63 to 66¼ inches. If you are taller than 66¼ inches, you can make alterations to the length of the garment, the sleeve length, etc. to fit your measurements.

BURDA SIZE	16	17	18	19	20	21	22	23
HEIGHT	63	63	63	63	63	63	63	63
BUST	30	31½	33	34¾	36¾	37¾	39½	41
WAIST	23	24½	26	27¾	29¼	30¾	32½	34
HIP	32½	34	35½	37	38¾	40¼	41¾	43½
BACK LENGTH	15	15¼	15½	15¾	16	16¼	16½	16¾
SLEEVE LENGTH	22½	22½	22½	23	23	23¼	23¾	23¾
NECK WIDTH	13	13½	13¾	14½	14½	15	15½	15¾
SIDE LEG LENGTH	38¾	38¾	38¾	39	39½	39½	39¾	39¾
FRONT WAIST LENGTH	15¾	16¼	16½	17	17¼	17¾	18½	18½
BUST POINT	9½	9½	9½	10¼	10¼	11½	11½	11½
UPPER ARM CIRCUMFERENCE	9½	10¼	10¾	11½	11½	11½	12¼	12¾

WOMEN'S SIZE CHART (Tall) inches

* These sizes are Burda tall sizes and differ in height from the regular sizes. The height measurement is 69¼ inches and up. If you are shorter than 69¼ inches, you can make alterations to the length of the garment, the sleeve length, etc. to fit your measurements.


BURDA SIZE	64	68	72	76	80	84	88	92
HEIGHT	69¼	69¼	69¼	69¼	69¼	69¼	69¼	69¼
BUST	30	31½	33	34¾	36¾	37¾	39½	41
WAIST	23	24½	26	27¾	29¼	30¾	32½	34
HIP	32½	34	35½	37	38¾	40¼	41¾	43½
BACK LENGTH	16½	16¾	17	17½	17¼	17½	17¾	18
SLEEVE LENGTH	24	24	24	24½	24½	24¾	24¾	24¾
NECK WIDTH	13	13½	13¾	14½	14½	15	15½	15¾
SIDE LEG LENGTH	41½	41¾	41¾	42¼	42½	42½	43	43
FRONT WAIST LENGTH	17¼	17¾	18½	18½	19	19¼	19¾	20¼
BUST POINT	9½	10¼	10¾	11½	11½	11½	12¼	12¾
UPPER ARM CIRCUMFERENCE	9½	10¼	10¾	11½	11½	11½	12¼	12¾

MEN'S SIZE CHART (Regular) inches

BURDA SIZE	44	46	48	50	52	54	56
HEIGHT	66¼	67¼	68½	69¾	71	71¾	72½
CHEST	34¾	36¼	37¾	39¼	41	42½	44
WAIST	30¾	32¼	34	35½	37	38½	41
SEAT	35½	37	38½	40	40¾	43½	45¼
BACK LENGTH	16½	17	17¼	17½	17¾	18	18¼
ARM LENGTH	24	24½	24¾	25¼	25½	26	26½
NECK	14½	15	15¼	15¾	16	16½	17

burda Download–Schnitt


Modell 132 Burda Style 12/2016



Copyright 2016 by Verlag Aenne Burda GmbH & Co. KG, Hubert-Burda Platz 2, D-77652 Offenburg
Sämtliche Modelle, Schnittteile und Zeichnungen stehen unter Urheberschutz, gewerbliches Nacharbeiten ist untersagt.
Der Verlag haftet nicht für Schäden, die durch unsachgemäße Handhabung des Schnitts, der Materialien,
unsachgemäße Ausführung der Tipps und Anleitungen oder unsachgemäße Nutzung der Modelle entstehen.

2a

28



1a

Kontrollquadrat / test square

Seitenlänge / side length
10 cm (4 inches)


25

Streifen
stripe
полоска

2b

1a

1b





1b

2c

24

1c





4a

Streifen
stripe
ПОЛОСКА

2


2

1

1

3a

2a



rechts / right
ПРАВАЯ
СТОРОНА

3c

vordere Mitte Fadenlauf

center front straight grain

ЛИНИЯ СЕРЕДИНЫ ПЕРЕДА ДОЛЕВАЯ НИТЬ

4c

Fadenlauf
straight grain
ДОЛЕВАЯ
НИТЬ

2c

3b

rückwärtige Mitte Stoffbruch Fadenlauf
center back fold straight grain
ЗАДНЯЯ СЕРЕДИНА СГИБ ДОЛЕВАЯ НИТЬ

4d

3c

21

ПОЛОСКА

stripe

Streifen

2d


6a

5a

23

Streifen
stripe
полоска

4a



6b

5a

5b

4b

4

vordere Mitte Fadenlauf

center front straight grain

ЛИНИЯ СЕРЕДИНЫ ПЕРЕДА ДОЛБЕВАЯ НИТЬ

5c


6c

5b

22

Fadenlauf
straight grain
ДОЛБЕВАЯ
ПЛИТКА

4c



5c


6d

5

5


4d


4



7a

6a





7a

2


Streifen
stripe
ПОЛОСКА

26


7b

Fadenlauf
straight grain
ДОЛБЕВАЯ НИТЬ

6b



7c



burda[®]
www.burdastyle.de

6d